

Exhibit 106



N-Nitrosodiethylamine

CASRN 55-18-5 | DTXSID2021028

- [IRIS Summary \(PDF\)](#) (11 pp, 106 K)

[Key IRIS
Values](#)

[Other EPA
Information](#)

Noncancer Assessment

[Reference Dose for Oral Exposure \(RfD\) \(PDF\)](#) (11 pp, 106 K)

Not assessed under the IRIS Program.

Last Updated:

[Reference Concentration for Inhalation Exposure \(RfC\) \(PDF\)](#)

(11 pp, 106 K)

Not assessed under the IRIS Program.

Cancer Assessment

[Weight of Evidence for Cancer \(PDF\)](#) (11 pp, 106 K)

Last Updated: 01/31/1987

WOE Characterization	Framework for WOE Characterization
B2 (Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals)	Guidelines for Carcinogen Risk Assessment (U.S. EPA, 1986)

Basis:

- Induction of tumors at multiple sites in both rodent and nonrodent species exposed by various routes.
- This may be a synopsis of the full weight-of-evidence narrative.

Quantitative Estimate of Carcinogenic Risk from Oral Exposure
(PDF) (11 pp, 106 K)

Oral Slope Factor: 1.5 x 10² per mg/kg-day

Drinking Water Unit Risk: 4.3 x 10⁻³ per µg/L

Extrapolation Method: Weibull, extra risk

Tumor site(s): Hepatic

Tumor type(s): Liver tumors (Peto et al., 1984)

Quantitative Estimate of Carcinogenic Risk from Inhalation
Exposure (PDF) (11 pp, 106 K)

Inhalation Unit Risk: 4.3 x 10⁻² per µg/m³

Extrapolation Method: Weibull, extra risk

Tumor site(s): Hepatic

Tumor type(s): Liver tumors (Peto et al., 1984)

You will need Adobe Reader to view some of the files on this page. See [EPA's PDF page](#) to learn more.

[Contact Us](#) to ask a question, provide feedback or report a problem.

Related Links


- [EPA Chemicals Dashboard - N-Nitrosodiethylamine](#)

Tumor Sites



Hepatic

Chemical Structure for N-Nitrosodiethylamine



Synonyms

- Dana: den
- Dena
- Diaethylnitrosamin
- Diethylamine, n-nitroso
- Diethylnitrosamine

[more synonyms](#)

LAST UPDATED ON {MONTH DAY, YYYY}

